


# LE FORATE



## PERFORATED METAL ALWAYS IN STOCK

CATALOGUE  
**105**




**OVER 500 DIFFERENT ITEMS AND CONSTANTLY EVOLVING  
MORE THAN 125,000 SHEETS IN STOCK**






# LE FORATE



**PERFORATED SHEET-METAL FROM  
THE VERY BEST MANUFACTURERS  
DIRECTLY IN OUR STORES**



**MINIMUM ORDER: "EVEN JUST**

**MORE THAN 500 ITEMS  
AND CONSTANTLY EVOLVING  
MORE THAN 125,000 SHEETS IN  
STOCK**



**ONE SHEET™**

**Quick and easy to choose.**

Thanks to this catalogue dedicated to perforated metal.

**A huge range.**

Hundreds of perforated sheet-metal items: round, square and patterned.

**Different thicknesses and sizes, in various materials, always in stock and ready for use.**

**Get a quote.**

Save time thanks to our helpful services.  
Fast delivery.

**Fils gives you that little bit more. Including perforated metal.**


## SIZE CHARACTERISTICS

LW - Minimum long way edges

SW - Indented short way edges

*Dimensions in mm*

Solid perimeter edges on request



## MATERIALS AVAILABLE


Carbon steel

Sendzimir carbon steel


AISI 304 stainless steel

AISI 316 stainless steel


Aluminium



E/F = % empty/full




**Approximate weights and  
empty/full percentages**





## STAGGERED ROUND HOLES AT 60° “QUINCUNX” (R)



### Key

$\emptyset$  = diameter

$p$  = distance between centres

$a = p \sqrt{3}$

$s$  = surface pitch


### Surface pitch

$$s (\%) = 90,6 \left( \frac{\emptyset}{p} \right)^2$$

### Example R 8

$\emptyset = 8 \text{ mm}$

$p = 12 \text{ mm}$



**R 1****Ø 1.0 mm - e/f 22.7%****MATERIAL****THICKNESS****SIZE****CARBON  
STEEL**

mm

**1000 X 2000**

Unit weight (kg)

**1.0****12.10****AISI 304 STAINLESS  
STEEL**

mm

**1000 X 2000**

Unit weight (kg)

**1.0****12.10****R 1.5****Ø 1.5 mm - e/f 22.7%****MATERIAL****THICKNESS****SIZE****CARBON  
STEEL**

mm

**1000 X 2000**

Unit weight (kg)

**1.0****12.10****1.5****18.00****AISI 304 STAINLESS  
STEEL**

mm

**1000 X 2000**

Unit weight (kg)

**1.0****12.10****1.5****18.00**

R 2

Ø 2.0 mm - e/f 29.6%

MATERIAL	THICKNESS	SIZE	SIZE	SIZE	
CARBON STEEL	mm	1000 X 2000	1250 X 2000	1500 X 3000	
		Unit weight (kg)	Unit weight (kg)	Unit weight (kg)	
		1.0	11.00	17.00	24.90
		1.5	16.60	26.00	41.00
	2.0	24.30	38.00	54.60	
AISI 304 STAINLESS STEEL	mm	1000 X 2000	1250 X 2500	1500 X 3000	
		Unit weight (kg)	Unit weight (kg)	Unit weight (kg)	
		1.0	11.00		
		1.5	16.60	29.00	41.80
	2.0	24.30			

R 2.5

Ø 2.5 mm - e/f 35.4%

MATERIAL	THICKNESS	SIZE	
CARBON STEEL	mm	1000 X 2000	
		Unit weight (kg)	
		1.0	10.20
		1.5	15.30
	2.0	20.30	

R 3

Ø 3.0 mm - e/f 32.6%

MATERIAL	THICKNESS	SIZE	SIZE	SIZE
CARBON STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	8.80		
	1.0	10.60	16.50	24.30
	1.5	15.90	24.80	35.70
	2.0	21.20	33.00	48.00
	3.0	31.70	49.60	71.00
SENDZIMIR CARBON STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	8.80		
	1.0	10.60	16.50	24.30
	1.5	15.90	24.80	35.70
	2.0	21.20	33.00	48.00
	3.0	32.00	49.60	71.00
AISI 304 STAINLESS STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	8.60		
	1.0	10.60		
	1.5	15.90	24.80	35.70
	2.0	21.20	33.70	48.50
AISI 316 STAINLESS STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	1.0	10.60		
	1.5	16.20	25.30	36.40
	2.0	21.60		
ALUMINIUM	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	1.0	3.60	5.69	8.20
	1.5	5.60	8.40	12.30
	2.0	7.30	11.40	16.40
	3.0	10.90		

R 4

Ø 4.0 mm - e/f 40.3%

MATERIAL	THICKNESS	SIZE	SIZE	SIZE
CARBON STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	7.50		
	1.0	9.40	14.60	21.50
	1.5	14.00	22.00	32.00
	2.0	18.70	29.30	42.10
	3.0	33.20	51.80	74.60
SENDZIMIR CARBON STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	7.50		
	1.0	9.40	14.60	21.50
	1.5	14.00	22.00	32.20
	2.0	18.70	29.30	42.10
	3.0	33.20	51.80	74.60
AISI 304 STAINLESS STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	7.60		
	1.0	9.40		
	1.5	14.00	22.40	32.30
	2.0	18.70	35.20	51.00
AISI 316 STAINLESS STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	1.0	9.40		
	1.5	14.00	22.40	32.30
	2.0	18.70		
ALUMINIUM	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	1.0	3.10	5.00	7.20
	1.5	5.00	7.60	10.88
	2.0	6.50	10.10	14.50
	3.0	9.70		

R 5

Ø 5.0 mm - e/f 35.4%

MATERIAL	THICKNESS	SIZE	SIZE	SIZE
CARBON STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	8.10		
	1.0	10.20	15.80	23.30
	1.5	15.30	23.80	34.50
	2.0	20.30	31.70	45.60
	3.0	30.50	47.50	68.50
	4.0	49.50		
	5.0	61.90		
SENDZIMIR CARBON STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	8.10		
	1.0	10.20	15.80	23.30
	1.5	15.30	23.80	34.50
	2.0	20.30	31.70	45.60
	3.0	30.40	47.50	68.50
AISI 304 STAINLESS STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	8.30		
	1.0	10.20		
	1.5	15.30	23.80	34.50
	2.0	20.30	32.30	46.50
	3.0	30.50		
AISI 316 STAINLESS STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	1.0	10.40		
	1.5	15.30	24.20	34.90
	2.0	20.30		
ALUMINIUM	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	1.0	3.50	5.50	7.90
	1.5	4.40	8.20	11.80
	2.0	6.92	10.90	15.70
	3.0	10.50		

R 6

Ø 6.0 mm - e/f 40.3%

MATERIAL	THICKNESS	SIZE	SIZE	SIZE
CARBON STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	7.50		
	1.0	9.40	14.60	21.50
	1.5	14.00	19.80	29.30
	2.0	18.80	29.30	42.00
	3.0	28.20	44.80	63.30
	4.0	43.10		
	5.0	53.90		
SENDZIMIR CARBON STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	7.50		
	1.0	9.40	14.60	21.50
	1.5	14.00	19.80	29.30
	2.0	18.80	29.30	42.00
	3.0	28.10	44.80	63.30
AISI 304 STAINLESS STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	7.60		
	1.0	9.40		
	1.5	14.00	22.40	32.20
	2.0	18.80	28.50	43.00
	3.0	28.20		
AISI 316 STAINLESS STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	1.0	9.50		
	1.5	14.30	22.40	32.20
	2.0	18.80		
ALUMINIUM	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	1.0	3.20	5.00	7.20
	1.5	5.00	7.60	11.00
	2.0	6.50	10.00	14.50
	3.0	9.70		

R 8

Ø 8.0 mm - e/f 40.3%


MATERIAL	THICKNESS	SIZE	SIZE	SIZE
CARBON STEEL		1000 X 2000	1250 X 2500	1500 X 3000
	mm	Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	0.8	7.50		
	1.0	9.40	14.60	21.50
	1.5	14.00	22.00	31.60
	2.0	18.80	29.30	42.20
	3.0	28.20	43.90	63.30
	4.0	38.20		
5.0	47.80			
SENDZIMIR CARBON STEEL		1000 X 2000	1250 X 2500	1500 X 3000
	mm	Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	0.8	7.50		
	1.0	9.40	14.60	21.50
	1.5	14.00	22.00	31.60
	2.0	18.60	29.30	42.20
	3.0	28.10	44.00	63.30
AISI 304 STAINLESS STEEL		1000 X 2000	1250 X 2500	1500 X 3000
	mm	Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	0.8	7.60		
	1.0	9.40		
	1.5	14.00	22.00	31.60
	2.0	18.80	29.90	43.00
3.0	28.20			
AISI 316 STAINLESS STEEL		1000 X 2000	1250 X 2500	1500 X 3000
	mm	Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	1.0	9.60		
	1.5	14.30	22.40	32.20
2.0	19.10			
ALUMINIUM		1000 X 2000	1250 X 2500	1500 X 3000
	mm	Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	1.0	3.20	5.00	7.30
	1.5	5.00	7.60	10.90
	2.0	6.50	10.70	14.50
3.0	9.70			




R 10

Ø 10.0 mm - e/f 40.3%


MATERIAL	THICKNESS	SIZE	SIZE	SIZE
CARBON STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	7.50		
	1.0	9.40	14.60	21.50
	1.5	14.00	22.00	31.60
	2.0	18.80	29.30	42.20
	3.0	28.20	44.00	63.30
	4.0	38.20		
	5.0	47.80		
SENDZIMIR CARBON STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	7.50		
	1.0	9.40	14.60	21.50
	1.5	14.00	22.00	31.60
	2.0	18.80	29.30	42.20
	3.0	28.10	44.00	63.30
AISI 304 STAINLESS STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	0.8	7.60		
	1.0	9.40		
	1.5	14.00	22.00	31.60
	2.0	18.80	29.90	43.00
	3.0	28.20		
AISI 316 STAINLESS STEEL	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	1.0	9.50		
	1.5	14.30	22.40	32.20
	2.0	19.10		
ALUMINIUM	mm	1000 X 2000 Unit weight (kg)	1250 X 2500 Unit weight (kg)	1500 X 3000 Unit weight (kg)
	1.0	3.10	5.00	7.30
	1.5	5.00	7.60	10.90
	2.0	6.30	10.10	14.50
	3.0	9.70		




MATERIAL	THICKNESS	SIZE	SIZE	SIZE	
CARBON STEEL	mm	1000 X 2000	1250 X 2500	1500 X 3000	
		Unit weight (kg)	Unit weight (kg)	Unit weight (kg)	
		1.0	9.40	14.60	21.10
		1.5	14.00	22.00	31.60
		2.0	19.00	29.30	42.20
	3.0	28.10	44.00	63.00	




MATERIAL	THICKNESS	SIZE	SIZE	SIZE	
CARBON STEEL	mm	1000 X 2000	1250 X 2500	1500 X 3000	
		Unit weight (kg)	Unit weight (kg)	Unit weight (kg)	
		1.5	11.00	20.00	23.80
		2.0	18.20	28.30	33.20
		3.0	27.00	36.40	62.00




MATERIAL	THICKNESS	SIZE	SIZE	SIZE	
CARBON STEEL	mm	1000 X 2000	1250 X 2500	1500 X 3000	
		Unit weight (kg)	Unit weight (kg)	Unit weight (kg)	
		1.5	12.00	19.00	26.70
		2.0	17.90	25.00	35.60
	3.0	28.10	38.00	56.20	



MATERIAL	THICKNESS	SIZE	SIZE	SIZE	
CARBON STEEL	mm	1000 X 2000	1250 X 2500	1500 X 3000	
		Unit weight (kg)	Unit weight (kg)	Unit weight (kg)	
		1.5		19.00	31.00
		2.0	14.00	26.40	38.00
	3.0		40.50	59.00	



## ALIGNED SQUARE HOLES (C - U)



### Key

w = side

u = distance between centres

s = surface pitch


### Surface pitch

$$s (\%) = 100 \left( \frac{w}{u} \right)^2$$

### Example C 8 - U12 ISO standard

w = 8 mm

u = 12 mm







**C 5**  
**U 7**

C (w) **5.0** mm - e/f **51.0%**

MATERIAL	U	THICKNESS	SIZE
CARBON STEEL			<b>1000 X 2000</b>
	mm	mm	Unit weight (kg)
	7.0	1.0	7.70
	7.0	1.5	11.60
SENDZIMIR CARBON STEEL			<b>1000 X 2000</b>
	mm	mm	Unit weight (kg)
	7.0	1.5	11.60
AISI 304 STAINLESS STEEL			<b>1000 X 2000</b>
	mm	mm	Unit weight (kg)
	7.0	1.0	7.70
ALUMINIUM			<b>1000 X 2000</b>
	mm	mm	Unit weight (kg)
	7.0	1.0	2.60




MATERIAL	U	THICKNESS	SIZE
CARBON STEEL			1000 X 2000
	mm	mm	Unit weight (kg)
	10.0	1.0	5.70
	10.0	1.5	8.50




MATERIAL	U	THICKNESS	SIZE	SIZE	SIZE
CARBON STEEL			1000 X 2000	1250 X 2500	1500 X 3000
	mm	mm	Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	12.0	1.0	8.80	13.60	19.60
	12.0	1.5	13.00	20.50	29.50
	12.0	2.0	17.50	27.30	39.00

SENDZIMIR CARBON STEEL	U	THICKNESS	SIZE	SIZE	SIZE
			1000 X 2000	1250 X 2500	1500 X 3000
	mm	mm	Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	12.0	1.0		13.60	20.60
	12.0	1.5	13.00	20.40	29.50
	12.0	2.0		27.30	39.00




MATERIAL	U	THICKNESS	SIZE
CARBON STEEL			1000 X 2000
	mm	mm	Unit weight (kg)
	12.0	1.0	4.80
	12.0	1.5	7.10






MATERIAL	U	THICKNESS	SIZE	SIZE	SIZE
CARBON STEEL			1000 X 2000	1250 X 2500	1500 X 3000
			Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	15.0	0.8	7.00		
	15.0	1.0	8.70	13.60	20.00
	15.0	1.5	13.00	20.40	29.50
	15.0	2.0	17.50	27.30	39.00
	15.0	3.0	26.20	42.00	59.00
SENDZIMIR CARBON STEEL			1000 X 2000	1250 X 2500	1500 X 3000
			Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	15.0	0.8	7.00		
	15.0	1.0	8.70	13.60	20.00
	15.0	1.5	13.00	20.40	29.50
	15.0	2.0	17.50	27.30	39.00
	15.0	3.0	26.20	42.00	59.00
AISI 304 STAINLESS STEEL			1000 X 2000	1250 X 2500	1500 X 3000
			Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	15.0	0.8	7.00		
	15.0	1.0	8.70	13.90	20.00
	15.0	1.5	13.00	20.40	29.50
	15.0	2.0	17.80	29.90	40.00
AISI 316 STAINLESS STEEL			1000 X 2000	1250 X 2500	1500 X 3000
			Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	15.0	1.0	8.90		
	15.0	1.5	13.30		
	15.0	2.0	17.80		
ALUMINIUM			1000 X 2000	1250 X 2500	1500 X 3000
			Unit weight (kg)	Unit weight (kg)	Unit weight (kg)
	15.0	1.0	3.00	4.70	6.80
	15.0	1.5	4.60	7.00	10.10
	15.0	2.0	6.00	9.10	13.50
	15.0	3.0	9.00		





# PATTERNED




## Key

$p$  = distance between centres







MATERIAL	P	THICKNESS	SIZE
CARBON STEEL			1000 X 2000
	mm	mm	Unit weight (kg)
	9.0	1.0	8.80




MATERIAL	P	THICKNESS	SIZE
CARBON STEEL			1000 X 2000
	mm	mm	Unit weight (kg)
	14.0	1.0	11.30




MATERIAL	P	THICKNESS	SIZE
CARBON STEEL			1000 X 2000
	mm	mm	Unit weight (kg)
	16.0	1.0	7.00



MATERIAL	P	THICKNESS	SIZE
CARBON STEEL	mm	mm	1000 X 2000 Unit weight (kg)
	20.0	1.0	8.60



MATERIAL	P	THICKNESS	SIZE
CARBON STEEL	mm	mm	1000 X 2000 Unit weight (kg)
	19.0 x 29.0	2.0	22.00



MATERIAL	P	THICKNESS	SIZE
CARBON STEEL	mm	mm	1000 X 2000 Unit weight (kg)
	18.0	1.0	10.00

# SYNOPTIC TABLE OF PERFORATED METAL BY MATERIAL

To make it easier to find the right choice among the various materials available, the perforated metal sheets are listed as follows:

## Carbon steel

### Sendzimir carbon steel

### AISI 304 stainless steel

### AISI 316 stainless steel

## Aluminium



## ROUND PERFORATED METAL - CARBON STEEL

CODE	Ø	E/F	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE
	mm	%	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm
R 1	1.0	22.7	1.0	12.10	1000 x 2000						
R 1.5	1.5	22.7	1.0	12.10	1000 x 2000						
	1.5	22.7	1.0	18.00	1000 x 2000						
R 2	2.0	29.6	1.0	11.00	1000 x 2000	1.0	17.00	1250 x 2500	1.0	24.90	1500 x 3000
	2.0	29.6	1.5	16.60	1000 x 2000	1.5	26.00	1250 x 2500	1.5	41.00	1500 x 3000
	2.0	29.6	2.0	24.30	1000 x 2000	2.0	38.00	1250 x 2500	2.0	54.60	1500 x 3000
R 2.5	2.0	35.4	1.0	10.20	1000 x 2000						
	2.0	35.4	1.5	15.30	1000 x 2000						
	2.0	35.4	2.0	20.30	1000 x 2000						
R 3	3.0	32.6	0.8	8.80	1000 x 2000						
	3.0	32.6	1.0	10.60	1000 x 2000	1.0	16.50	1250 x 2500	1.0	24.30	1500 x 3000
	3.0	32.6	1.5	15.90	1000 x 2000	1.5	24.80	1250 x 2500	1.5	35.70	1500 x 3000
	3.0	32.6	2.0	21.20	1000 x 2000	2.0	33.00	1250 x 2500	2.0	48.00	1500 x 3000
	3.0	32.6	3.0	31.70	1000 x 2000	3.0	49.60	1250 x 2500	3.0	71.00	1500 x 3000
R 4	4.0	40.3	0.8	7.50	1000 x 2000						
	4.0	40.3	1.0	9.40	1000 x 2000	1.0	14.60	1250 x 2500	1.0	21.50	1500 x 3000
	4.0	40.3	1.5	14.00	1000 x 2000	1.5	22.00	1250 x 2500	1.5	32.00	1500 x 3000
	4.0	40.3	2.0	18.70	1000 x 2000	2.0	29.30	1250 x 2500	2.0	42.10	1500 x 3000
	4.0	40.3	3.0	33.20	1000 x 2000	3.0	51.80	1250 x 2500	3.0	74.60	1500 x 3000
R 5	5.0	35.4	0.8	8.10	1000 x 2000						
	5.0	35.4	1.0	10.20	1000 x 2000	1.0	15.80	1250 x 2500	1.0	23.30	1500 x 3000
	5.0	35.4	1.5	15.30	1000 x 2000	1.5	23.80	1250 x 2500	1.5	34.50	1500 x 3000
	5.0	35.4	2.0	20.30	1000 x 2000	2.0	31.70	1250 x 2500	2.0	45.60	1500 x 3000
	5.0	35.4	3.0	30.50	1000 x 2000	3.0	47.50	1250 x 2500	3.0	68.50	1500 x 3000
	5.0	35.4	4.0	49.50	1000 x 2000						
	5.0	35.4	5.0	61.90	1000 x 2000						
R 6	6.0	40.3	0.8	7.50	1000 x 2000						
	6.0	40.3	1.0	9.40	1000 x 2000	1.0	14.60	1250 x 2500	1.0	21.50	1500 x 3000
	6.0	40.3	1.5	14.00	1000 x 2000	1.5	19.80	1250 x 2500	1.5	29.30	1500 x 3000
	6.0	40.3	2.0	18.80	1000 x 2000	2.0	29.30	1250 x 2500	2.0	42.00	1500 x 3000
	6.0	40.3	3.0	28.20	1000 x 2000	3.0	44.80	1250 x 2500	3.0	63.90	1500 x 3000
	6.0	40.3	4.0	43.10	1000 x 2000						
	6.0	40.3	5.0	53.90	1000 x 2000						
R 8	8.0	40.3	0.8	7.50	1000 x 2000						
	8.0	40.3	1.0	9.40	1000 x 2000	1.0	14.60	1250 x 2500	1.0	21.50	1500 x 3000
	8.0	40.3	1.5	14.00	1000 x 2000	1.5	22.00	1250 x 2500	1.5	31.60	1500 x 3000
	8.0	40.3	2.0	18.80	1000 x 2000	2.0	29.30	1250 x 2500	2.0	42.20	1500 x 3000
	8.0	40.3	3.0	28.20	1000 x 2000	3.0	43.90	1250 x 2500	3.0	63.30	1500 x 3000
	8.0	40.3	4.0	38.20	1000 x 2000						
	8.0	40.3	5.0	47.80	1000 x 2000						

CODE	Ø	E/F	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE
	mm	%	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm
<b>R 10</b>	10.0	40.3	0.8	7.50	1000 x 2000						
	10.0	40.3	1.0	9.40	1000 x 2000	1.0	14.60	1250 x 2500	1.0	21.50	1500 x 3000
	10.0	40.3	1.5	14.00	1000 x 2000	1.5	22.00	1250 x 2500	2.0	31.60	1500 x 3000
	10.0	40.3	2.0	18.80	1000 x 2000	2.0	29.30	1250 x 2500	2.0	42.20	1500 x 3000
	10.0	40.3	3.0	28.20	1000 x 2000	3.0	44.00	1250 x 2500	3.0	63.30	1500 x 3000
	10.0	40.3	4.0	38.20	1000 x 2000						
	10.0	40.3	5.0	47.80	1000 x 2000						
<b>R 12</b>	12.0	40.3	1.0	9.40	1000 x 2000	1.0	14.60	1250 x 2500	1.0	21.10	1500 x 3000
	12.0	40.3	1.5	14.00	1000 x 2000	1.5	22.00	1250 x 2500	1.5	31.60	1500 x 3000
	12.0	40.3	2.0	19.30	1000 x 2000	2.0	29.30	1250 x 2500	2.0	42.20	1500 x 3000
	12.0	40.3	3.0	28.10	1000 x 2000	3.0	44.00	1250 x 2500	2.0	63.00	1500 x 3000
<b>R 15</b>	15.0	42.1	1.5	11.00	1000 x 2000	1.5	20.00	1250 x 2500	1.5	23.80	1500 x 3000
	15.0	42.1	2.0	18.20	1000 x 2000	2.0	28.30	1250 x 2500	2.0	33.20	1500 x 3000
	15.0	42.1	3.0	27.00	1000 x 2000	3.0	36.40	1250 x 2500	3.0	62.00	1500 x 3000
<b>R 20</b>	20.0	40.3	1.5	12.00	1000 x 2000	1.5	19.00	1250 x 2500	1.5	26.70	1500 x 3000
	20.0	40.3	2.0	17.90	1000 x 2000	2.0	25.00	1250 x 2500	2.0	35.60	1500 x 3000
	20.0	40.3	3.0	28.10	1000 x 2000	3.0	38.00	1250 x 2500	3.0	56.20	1500 x 3000
<b>R 25</b>	25.0	46.2	1.5		1000 x 2000	1.5	19.00	1250 x 2500	1.5	31.00	1500 x 3000
	25.0	46.2	2.0	14.00	1000 x 2000	2.0	26.40	1250 x 2500	2.0	38.00	1500 x 3000
	25.0	46.2	3.0		1000 x 2000	3.0	40.50	1250 x 2500	3.0	59.00	1500 x 3000



## ROUND PERFORATED METAL - SENDZIMIR CARBON STEEL

CODE	Ø	E/F	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE
	mm	%	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm
<b>R 3</b>	3.0	32.6	0.8	8.80	1000 x 2000						
	3.0	32.6	1.0	10.60	1000 x 2000	1.0	16.50	1250 x 2500	1.0	24.30	1500 x 3000
	3.0	32.6	1.5	15.90	1000 x 2000	1.5	24.80	1250 x 2500	1.5	35.70	1500 x 3000
	3.0	32.6	2.0	21.20	1000 x 2000	2.0	33.00	1250 x 2500	2.0	48.00	1500 x 3000
	3.0	32.6	3.0	32.00	1000 x 2000	3.0	49.60	1250 x 2500	3.0	71.00	1500 x 3000
<b>R 4</b>	4.0	40.3	0.8	7.50	1000 x 2000						
	4.0	40.3	1.0	9.40	1000 x 2000	1.0	14.60	1250 x 2500	1.0	21.50	1500 x 3000
	4.0	40.3	1.5	14.00	1000 x 2000	1.5	22.00	1250 x 2500	2.0	32.20	1500 x 3000
	4.0	40.3	2.0	18.70	1000 x 2000	2.0	29.30	1250 x 2500	2.0	42.10	1500 x 3000
	4.0	40.3	3.0	33.20	1000 x 2000	3.0	51.80	1250 x 2500	3.0	74.60	1500 x 3000
<b>R 5</b>	5.0	35.4	0.8	8.10	1000 x 2000						
	5.0	35.4	1.0	10.20	1000 x 2000	1.0	15.80	1250 x 2500	1.0	23.30	1500 x 3000
	5.0	35.4	1.5	15.30	1000 x 2000	1.5	23.80	1250 x 2500	2.0	34.50	1500 x 3000
	5.0	35.4	2.0	20.30	1000 x 2000	2.0	31.70	1250 x 2500	2.0	45.60	1500 x 3000
	5.0	35.4	3.0	30.40	1000 x 2000	3.0	47.50	1250 x 2500	3.0	68.50	1500 x 3000
<b>R 6</b>	6.0	40.3	0.8	7.50	1000 x 2000						
	6.0	40.3	1.0	9.40	1000 x 2000	1.0	14.60	1250 x 2500	1.0	21.50	1500 x 3000
	6.0	40.3	1.5	14.00	1000 x 2000	1.5	19.80	1250 x 2500	2.0	29.30	1500 x 3000
	6.0	40.3	2.0	18.80	1000 x 2000	2.0	29.30	1250 x 2500	2.0	42.00	1500 x 3000
	6.0	40.3	3.0	28.10	1000 x 2000	3.0	44.80	1250 x 2500	3.0	63.30	1500 x 3000
<b>R 8</b>	8.0	40.3	0.8	7.50	1000 x 2000						
	8.0	40.3	1.0	9.40	1000 x 2000	1.0	14.60	1250 x 2500	1.0	21.50	1500 x 3000
	8.0	40.3	1.5	14.00	1000 x 2000	1.5	22.00	1250 x 2500	2.0	31.60	1500 x 3000
	8.0	40.3	2.0	18.80	1000 x 2000	2.0	29.30	1250 x 2500	2.0	42.20	1500 x 3000
	8.0	40.3	3.0	28.10	1000 x 2000	3.0	44.00	1250 x 2500	3.0	63.30	1500 x 3000
<b>R 10</b>	10.0	40.3	0.8	7.50	1000 x 2000						
	10.0	40.3	1.0	9.40	1000 x 2000	1.0	14.60	1250 x 2500	1.0	21.50	1500 x 3000
	10.0	40.3	1.5	14.00	1000 x 2000	1.5	22.00	1250 x 2500	2.0	31.60	1500 x 3000
	10.0	40.3	2.0	18.80	1000 x 2000	2.0	29.30	1250 x 2500	2.0	42.20	1500 x 3000
	10.0	40.3	3.0	28.10	1000 x 2000	3.0	44.00	1250 x 2500	3.0	63.30	1500 x 3000



## ROUND PERFORATED METAL - AISI 304 STAINLESS STEEL

CODE	Ø	E/F	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE
	mm	%	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm
<b>R 1</b>	1.0	22.7	1.0	12.10	1000 x 2000						
<b>R 1.5</b>	1.5	22.7	1.0	12.10	1000 x 2000						
	1.5	22.7	1.0	18.00	1000 x 2000						
<b>R 2</b>	2.0	29.6	1.0	11.00	1000 x 2000						
	2.0	29.6	1.5	16.60	1000 x 2000	1.5	29.00	1250 x 2500	1.5	41.80	1500 x 3000
	2.0	29.6	2.0	24.30	1000 x 2000						
<b>R 3</b>	3.0	32.6	0.8	8.60	1000 x 2000						
	3.0	32.6	1.0	10.60	1000 x 2000						
	3.0	32.6	1.5	15.90	1000 x 2000	1.5	24.80	1250 x 2500	1.5	35.70	1500 x 3000
	3.0	32.6	2.0	21.20	1000 x 2000	2.0	33.40	1250 x 2500	2.0	48.50	1500 x 3000
<b>R 4</b>	4.0	40.3	0.8	7.60	1000 x 2000						
	4.0	40.3	1.0	9.40	1000 x 2000						
	4.0	40.3	1.5	14.00	1000 x 2000	1.5	26.40	1250 x 2500	1.5	32.30	1500 x 3000
	4.0	40.3	2.0	18.70	1000 x 2000	2.0	35.20	1250 x 2500	2.0	51.00	1500 x 3000
<b>R 5</b>	5.0	35.4	0.8	8.30	1000 x 2000						
	5.0	35.4	1.0	10.20	1000 x 2000						
	5.0	35.4	1.5	15.30	1000 x 2000	1.5	23.80	1250 x 2500	1.5	34.50	1500 x 3000
	5.0	35.4	2.0	20.30	1000 x 2000	2.0	32.30	1250 x 2500	2.0	46.50	1500 x 3000
	5.0	35.4	3.0	30.50	1000 x 2000						
<b>R 6</b>	6.0	40.3	0.8	7.60	1000 x 2000						
	6.0	40.3	1.0	9.40	1000 x 2000						
	6.0	40.3	1.5	14.00	1000 x 2000	1.5	22.40	1250 x 2500	1.5	32.20	1500 x 3000
	6.0	40.3	2.0	18.80	1000 x 2000	2.0	28.50	1250 x 2500	2.0	43.00	1500 x 3000
	6.0	40.3	3.0	28.20	1000 x 2000						
<b>R 8</b>	8.0	40.3	0.8	7.60	1000 x 2000						
	8.0	40.3	1.0	9.40	1000 x 2000						
	8.0	40.3	1.5	14.00	1000 x 2000	1.5	22.00	1250 x 2500	1.5	31.60	1500 x 3000
	8.0	40.3	2.0	18.80	1000 x 2000	2.0	29.90	1250 x 2500	2.0	43.00	1500 x 3000
	8.0	40.3	3.0	28.20	1000 x 2000						
<b>R 10</b>	10.0	40.3	0.8	7.60	1000 x 2000						
	10.0	40.3	1.0	9.40	1000 x 2000						
	10.0	40.3	1.5	14.00	1000 x 2000	1.5	22.00	1250 x 2500	1.5	31.60	1500 x 3000
	10.0	40.3	2.0	18.80	1000 x 2000	2.0	29.90	1250 x 2500	2.0	43.00	1500 x 3000
	10.0	40.3	3.0	28.20	1000 x 2000						



## ROUND PERFORATED METAL - AISI 316 STAINLESS STEEL

CODE	Ø	E/F	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE
	mm	%	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm
<b>R 3</b>	3.0	32.6	1.0	10.60	1000 x 2000						
	3.0	32.6	1.5	16.20	1000 x 2000	1.5	25.30	1250 x 2500	1.5	36.40	1500 x 3000
	3.0	32.6	2.0	21.60	1000 x 2000						
<b>R 4</b>	4.0	40.3	1.0	9.40	1000 x 2000						
	4.0	40.3	1.5	16.90	1000 x 2000	1.5	22.40	1250 x 2500	1.5	32.30	1500 x 3000
	4.0	40.3	2.0	19.10	1000 x 2000						
<b>R 5</b>	5.0	35.4	1.0	10.40	1000 x 2000						
	5.0	35.4	1.5	15.30	1000 x 2000	1.5	24.20	1250 x 2500	1.5	34.90	1500 x 3000
	5.0	35.4	2.0	20.30	1000 x 2000						
<b>R 6</b>	6.0	40.3	1.0	9.50	1000 x 2000						
	6.0	40.3	1.5	14.30	1000 x 2000	1.5	22.40	1250 x 2500	1.5	32.20	1500 x 3000
	6.0	40.3	2.0	18.80	1000 x 2000						
<b>R 8</b>	8.0	40.3	1.0	9.60	1000 x 2000						
	8.0	40.3	1.5	14.30	1000 x 2000	1.5	22.40	1250 x 2500	1.5	32.20	1500 x 3000
	8.0	40.3	2.0	19.10	1000 x 2000						
<b>R 10</b>	10.0	40.3	1.0	9.60	1000 x 2000						
	10.0	40.3	1.5	14.30	1000 x 2000	1.5	22.40	1250 x 2500	1.5	32.30	1500 x 3000
	10.0	40.3	2.0	19.10	1000 x 2000						





## ROUND PERFORATED METAL - ALUMINIUM

CODE	Ø	E/F	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE
	mm	%	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm
<b>R 3</b>	3.0	32.6	1.0	3.60	1000 x 2000	1.0	5.69	1250 x 2500	1.0	8.20	1500 x 3000
	3.0	32.6	1.5	5.60	1000 x 2000	1.5	8.40	1250 x 2500	1.5	12.30	1500 x 3000
	3.0	32.6	2.0	7.30	1000 x 2000	2.0	11.40	1250 x 2500	2.0	16.40	1500 x 3000
	3.0	32.6	3.0	10.90	1000 x 2000						
<b>R 4</b>	4.0	40.3	1.0	3.10	1000 x 2000	1.0	5.00	1250 x 2500	1.0	7.20	1500 x 3000
	4.0	40.3	1.5	5.00	1000 x 2000	1.5	7.60	1250 x 2500	1.5	10.88	1500 x 3000
	4.0	40.3	2.0	6.50	1000 x 2000	2.0	10.10	1250 x 2500	2.0	14.50	1500 x 3000
	4.0	40.3	3.0	9.70	1000 x 2000						
<b>R 5</b>	5.0	35.4	1.0	3.50	1000 x 2000	1.0	5.50	1250 x 2500	1.0	7.90	1500 x 3000
	5.0	35.4	1.5	4.40	1000 x 2000	1.5	8.20	1250 x 2500	1.5	11.80	1500 x 3000
	5.0	35.4	2.0	6.92	1000 x 2000	2.0	10.90	1250 x 2500	2.0	15.70	1500 x 3000
	5.0	35.4	3.0	10.50	1000 x 2000						
<b>R 6</b>	6.0	40.3	1.0	3.20	1000 x 2000	1.0	5.00	1250 x 2500	1.0	7.20	1500 x 3000
	6.0	40.3	1.5	5.00	1000 x 2000	1.5	7.60	1250 x 2500	1.5	11.00	1500 x 3000
	6.0	40.3	2.0	6.50	1000 x 2000	2.0	10.00	1250 x 2500	2.0	14.50	1500 x 3000
	6.0	40.3	3.0	9.70	1000 x 2000						
<b>R 8</b>	8.0	40.3	1.0	3.20	1000 x 2000	1.0	5.00	1250 x 2500	1.0	7.30	1500 x 3000
	8.0	40.3	1.5	5.00	1000 x 2000	1.5	7.60	1250 x 2500	1.5	10.90	1500 x 3000
	8.0	40.3	2.0	6.50	1000 x 2000	2.0	10.70	1250 x 2500	2.0	14.50	1500 x 3000
	8.0	40.3	3.0	9.70	1000 x 2000						
<b>R 10</b>	10.0	40.3	1.0	3.10	1000 x 2000	1.0	5.00	1250 x 2500	1.0	7.30	1500 x 3000
	10.0	40.3	1.5	5.00	1000 x 2000	1.5	7.60	1250 x 2500	1.5	10.90	1500 x 3000
	10.0	40.3	2.0	6.30	1000 x 2000	2.0	10.10	1250 x 2500	2.0	14.50	1500 x 3000
	10.0	40.3	3.0	9.70	1000 x 2000						



## SQUARE PERFORATED METAL - CARBON STEEL

CODE	C (W)	U	E/F	THICKNESS	WEIGHT	THICKNESS	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE
	mm	mm	%	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm
<b>C 5 - U 7</b>	5.0	7.0	51.0	1.0	7.70	1000 x 2000						
	5.0	7.0	51.0	1.5	11.60	1000 x 2000						
<b>C 8 - U 10</b>	8.0	10.0	64.0	1.0	5.70	1000 x 2000						
	8.0	10.0	64.0	1.5	8.50	1000 x 2000						
<b>C 8 - U 12</b>	8.0	12.0	44.4	1.0	8.80	1000 x 2000	1.0	13.60	1250 x 2500	1.0	19.60	1500 x 3000
	8.0	12.0	44.4	1.5	13.00	1000 x 2000	1.5	20.50	1250 x 2500	1.5	29.50	1500 x 3000
	8.0	12.0	44.4	2.0	17.50	1000 x 2000	2.0	27.30	1250 x 2500	2.0	39.00	1500 x 3000
<b>C 10 - U 12</b>	10.0	12.0	69.5	1.0	4.80	1000 x 2000						
	10.0	12.0	69.5	1.5	7.10	1000 x 2000						
<b>C 10 - U 15</b>	10.0	15.0	44.4	0.8	7.00	1000 x 2000						
	10.0	15.0	44.4	1.0	8.70	1000 x 2000	1.0	13.60	1250 x 2500	1.5	20.00	1500 x 3000
	10.0	15.0	44.4	1.5	13.00	1000 x 2000	1.5	20.40	1250 x 2500	2.0	29.50	1500 x 3000
	10.0	15.0	44.4	2.0	17.50	1000 x 2000	2.0	27.30	1250 x 2500	2.0	39.00	1500 x 3000
	10.0	15.0	44.4	3.0	26.20	1000 x 2000	3.0	42.00	1250 x 2500	2.0	59.00	1500 x 3000



## SQUARE PERFORATED METAL - SENDZIMIR CARBON STEEL

CODE	C (W)	U	E/F	THICKNESS	WEIGHT	THICKNESS	THICKNESS	WEIGHT	SIZE	THICKNESS	WEIGHT	SIZE
	mm	mm	%	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm	mm	Unit weight (kg)	mm
<b>C 5 - U 7</b>	5.0	7.0	51.0	1.5	11.60	1000 x 2000						
<b>C 8 - U 12</b>	8.0	12.0	44.5				1.0	13.60	1250 x 2500	1.0	20.00	1500 x 3000
	8.0	12.0	44.5	1.5	13.00	1000 x 2000	1.5	20.40	1250 x 2500	1.5	29.50	1500 x 3000
	8.0	12.0	44.5				2.0	27.30	1250 x 2500	2.0	39.00	1500 x 3000
<b>C 10 - U 15</b>	10.0	15.0	44.4	0.8	7.00	1000 x 2000						
	10.0	15.0	44.4	1.0	8.70	1000 x 2000	1.0	13.60	1250 x 2500	1.5	20.00	1500 x 3000
	10.0	15.0	44.4	1.5	13.00	1000 x 2000	1.5	20.40	1250 x 2500	2.0	29.50	1500 x 3000
	10.0	15.0	44.4	2.0	17.50	1000 x 2000	2.0	27.30	1250 x 2500	2.0	39.00	1500 x 3000
	10.0	15.0	44.4	3.0	26.20	1000 x 2000	3.0	42.00	1250 x 2500	2.0	59.00	1500 x 3000



## SQUARE PERFORATED METAL - AISI 304 STAINLESS STEEL

CODE	C (W) U		E/F	THICKNESS WEIGHT		THICKNESS	THICKNESSWEIGHT SIZE			THICKNESS WEIGHT SIZE		
	mm	mm		%	mm		Unit weight (kg) mm	mm	Unit weight (kg) mm	mm	Unit weight (kg) mm	mm
<b>C 5 - U 7</b>	5.0	7.0	51.0	1.0	7.70	1000 x 2000						
<b>C 10 - U 15</b>	10.0	15.0	44.4	0.8	7.00	1000 x 2000						
	10.0	15.0	44.4	1.0	8.70	1000 x 2000	1.0	13.90	1250 x 2500	1.0	20.00	1500 x 3000
	10.0	15.0	44.4	1.5	13.00	1000 x 2000	1.5	20.40	1250 x 2500	1.5	29.50	1500 x 3000
	10.0	15.0	44.4	2.0	17.50	1000 x 2000	2.0	29.90	1250 x 2500	2.0	40.00	1500 x 3000



## SQUARE PERFORATED METAL - AISI 316 STAINLESS STEEL

CODE	C (W) U		E/F	THICKNESS WEIGHT		THICKNESS	THICKNESSWEIGHT SIZE			THICKNESS WEIGHT SIZE		
	mm	mm		%	mm		Unit weight (kg) mm	mm	Unit weight (kg) mm	mm	Unit weight (kg) mm	mm
<b>C 10 - U 15</b>	10.0	15.0	44.4	1.0	8.90	1000 x 2000						
	10.0	15.0	44.4	1.5	13.30	1000 x 2000						
	10.0	15.0	44.4	2.0	17.80	1000 x 2000						




## SQUARE PERFORATED METAL - ALUMINIUM

CODE	C (W) U		E/F	THICKNESS WEIGHT		THICKNESS	THICKNESSWEIGHT SIZE			THICKNESS WEIGHT SIZE		
	mm	mm		%	mm		Unit weight (kg) mm	mm	Unit weight (kg) mm	mm	Unit weight (kg) mm	mm
<b>C 5 - U 7</b>	5.0	7.0	51.0	1.0	2.60	1000 x 2000						
<b>C 10 - U 15</b>	10.0	15.0	44.4	1.0	3.00	1000 x 2000	1.0	4.70	1250 x 2500	1.0	6.80	1500 x 3000
	10.0	15.0	44.4	1.5	4.60	1000 x 2000	1.5	7.00	1250 x 2500	1.5	10.10	1500 x 3000
	10.0	15.0	44.4	2.0	6.00	1000 x 2000	2.0	9.10	1250 x 2500	2.0	13.50	1500 x 3000
	10.0	15.0	44.4	3.0	9.00	1000 x 2000						



## PATTERNED PERFORATED METAL - CARBON STEEL

CODE	P	E/F	THICKNESS WEIGHT		SIZE
			mm	Unit weight (kg)	
<b>GF17 - P9</b>	9.0	42.0	1.0	8.80	1000 x 2000
<b>GF20 - P14</b>	14.0	40.0	1.0	11.30	1000 x 2000
<b>GF11 - P16</b>	16.0	32.0	1.0	7.00	1000 x 2000
<b>GF5 - P20</b>	20.0	39.0	1.0	8.60	1000 x 2000
<b>10x20 TAPERED</b>	19.0x29.0	32.5	2.0	22.00	1000 x 2000
<b>10x10 WOVEN</b>	18.0	25.0	1.0	10.00	1000 x 2000



All text and images in this catalogue remain the exclusive property of the Company. Their reproduction or use is strictly prohibited unless prior written consent is obtained from the Company. The Company reserves the right to make changes to the products shown without notice. The technical data and descriptions provided in this catalogue have been carefully checked. The Company accepts no liability for errors or omissions.





**Fils S.p.A.**

**Fabbrica Italiana Lamiere Stirate**

Sole proprietorship, directed and coordinated by  
L HOLDING S.r.l.

Via Crocette, 21 (Zona Industriale 1)  
24066 PEDRENGO (Bergamo) Italy  
Tel. +39 035 661 471  
fils@fils.it

**EXPANDED METAL**

**PERFORATED METAL**

**CORRUGATED METAL MESH**

**WOVEN METAL MESH**

**GRATING**

**STAIR TREADS AND LANDINGS**

**FENCING**